

# Post Floor Lamp

“The Post Floor Lamp came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp’s light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Floor Lamp represents a new perspective through its graphic character and forward-thinking functionality. Configure up to three lighting units on the Post Floor Lamp for an elegant ambient or task light.”

— Earnest Studio



<b>Designed by</b>	Earnest Studio
<b>About the Designer</b>	Earnest Studio was founded by American-born, Rotterdam-based designer Rachel Griffin. With a background in graphic design, she spent five years producing exhibitions and books before moving to the Netherlands to study at the Design Academy Eindhoven in 2007. She launched her own studio in 2012, with a focus on furniture, lighting and accessories.
<b>Environment</b>	Indoor
<b>Country of Production</b>	China
<b>Description</b>	The Post Floor Lamp is an innovative modular lighting design with an archetypal appearance, graphic lines and forward-thinking functionalities. Exploring the utmost flexibility of a magnetic joint, the individual lighting units of the design can be positioned, turned and dimmed up and down to individual needs. Use the magnetic cable drops to position the cords on the rod. The Post Floor Lamp comes with two lighting units. An additional lighting unit can be purchased as spare part and added to the design by plugging it into the power hub and positioning it on the rod.
<b>Material</b>	Base in powder coated steel. Lighting unit in powder coated magnesium with silicone cord and opal diffuser. Cable drops in ABS with magnet. Power hub in wet painted ABS with PCV cord.
<b>Cleaning &amp; Care</b>	Clean with soft dry cloth only. Always switch off electricity supply before cleaning.
<b>Cord Length</b>	250 cm / 98.4"
<b>Light Source Included</b>	Yes.
<b>Dimmable Function</b>	Yes.
<b>Additional Information</b>	x2 Lighting units x1 Floor stand x1 Power Hub (with PSU) x2 Magnet Cable Drop.
<b>Cord Length</b>	Lighting Unit: 250 cm / 98." and Hub 200 cm / 78.7"

# Post Floor Lamp

## Dimensions

Height:	136,2 cm / 53.6"
Diameter:	9,5 cm / 3.7"
Cord Length:	250 cm / 98.4"



## Ready-to-Ship

Black  
Brown Green



## Lamp Rating

Voltage	100-240V
Frequency	50/60Hz
IP Rating	IP20
Classification	Class II
Socket	Integrated, non-replaceable LEDs. Max. 5,5W (One Unit). Max. 6,7W (One Unit, incl. Power HUB). Max. 13W (Two Units, incl. Power HUB).

## Light Source Specification

Item	Integrated, non-replaceable LED
Watt	6,7W
Lumen	330 lm
Lumen Maintenance	54.000h
Kelvin	2.700K
CRI	90
Dimmable	Yes
Risk Group	Except

# Post Floor Lamp

Energy Label



## Tests, Labels & Certifications

Electromagnetic Compatibility

Electromagnetic Compatibility (EMC)

Safety & Regulations

EAC Certificate  
ECO Design Directive  
Low Voltage Directive 2014/35 EU (LVD)  
REACH  
Regulatory Compliance Mark (RCM)  
Restriction of Hazardous Substances Directive (RoHS)  
Waste of Electronic and Electrical Equipment (WEEE)



IP20



CE



EAC

[Explore Assets](#)

[DOWNLOAD SITE](#)